



Randox Laboratories Ltd
Randox Science Park
Randalstown Road
Co. Antrim
United Kingdom

URN:
Gender:
Date of Birth:
Date of Report:
Sample Collection Date:

Sexual Health Assessment Report

Dear

Please find enclosed your Sexual Health Assessment results.

URN	Test Kit
	Bosche Vivalytic STI Test

Pathogen	Result (Urine)	Result (Swab)
Chlamydia trachomatis	Negative	Negative
Neisseria gonorrhoea	Negative	Negative
Herpes simplex virus 1 (HSV-1)	Negative	Negative
Herpes simplex virus 2 (HSV-2)	Negative	Negative
Mycoplasma hominis	Negative	Negative
Mycoplasma genitalium	Negative	Negative
Trichomonas vaginalis	Negative	Negative
Treponema pallidum	Negative	Negative
Haemophilus ducreyi	Negative	Negative
Ureaplasma urealyticum	Negative	Negative

Type of Test: Multiplex-PCR. Validated for use with either urine or urogenital swab.

Understanding your Results

NEGATIVE	POSITIVE
A negative result indicates that the pathogen is not present in your urine or swab sample. Many infections have an incubation period where infection may not be detectable and therefore may generate a false negative. It is important to consider this when interpreting results, particularly if you have reason to believe that you may have had exposure to an STI or symptoms. Medical advice is available.	A positive result indicates that a pathogen is present in your urine or swab sample and medical intervention may be required. It is essential that you start on the appropriate treatment as quickly as possible to clear the infection and reduce the long term impact on your health, as well as reducing the risk to others. It is advisable to refrain from any sexual activity until you have completed any prescribed treatment. It is also important that you inform any sexual partners of your infection, so they can seek appropriate medical advice.



Next Steps

UK Customers

If you would like to speak to a doctor about your STI results, please [book here](#). All consultations are provided by GMC registered GPs at our trusted healthcare partner MyHealthcare Clinic. Please note, a consultation fee is payable for this service.

Dr Gary J Smyth
MB ChB DGM DMH DRCOG DFSRH MRCP FFHom
Medical Director, Radox Health
Tel: +44 (0)28 9442 2413



- End of Report -

Where a sample has been collected by an HCP, sampling is carried out by Radox Health or MyHealthCare (MHC) in the UK, CodeBlue in ROI, Radox Health in NI or by 3rd Party Clinics. All laboratory testing is referred to RCLS, UKAS Accredited Lab 9329. This report shall not be reproduced except in full without approval of the issuing testing site. All results apply to the samples as received at this test site. The test dates of all results will be between the collection date and report date stated within this report.